

# CCS GRAFFITI REMOVER

## DESCRIPTION

CCS Graffiti Remover is a light yellow coloured liquid based on special solvents and surface active materials for use with anti-graffiti coatings. The product is specially suited for removal of graffiti on CCS Concrete Graffiti Guard and CCS Armourthane Gloss and Satin.

CCS Graffiti Remover is an environmentally friendly, low odour formulation that will remove most spray can and permanent marker coatings from specially treated surfaces

## ADVANTAGES

- Low Odour
- Fast Acting
- Removes graffiti easily

## PERFORMANCE PROPERTIES

<b>Appearance</b>	Liquid - transparent
<b>Colour</b>	Light Yellow
<b>Volume Solids</b>	0%
<b>Specific Gravity</b>	Approx. 0.98 @ 25°C

## RECOMMENDED PROCEDURE

- Apply CCS Graffiti Remover to the surface with graffiti using a soft brush or white absorbent rag.
- Allow CCS Graffiti Remover to remain in contact with the graffiti for 3 minutes, then wipe with a clean white absorbent rag.
- If graffiti residue is still present, reapply CCS Graffiti Remover allow to contact for further 3 minutes and remove with clean white absorbent rag.
- Only wash surface with water once all graffiti has been removed.
- Do not use stiff bristled brushes as this may damage the coating.
- Do not allow CCS Graffiti Remover to remain in contact with the surface for longer than 3 minutes as this may damage the surface.

## PACKAGING

CCS Graffiti Remover is available in 5 litre screw cap cans.

## STORAGE

Keep container dry and tightly closed in a cool and well ventilated place.

Ensure adequate ventilation and, if necessary, exhaust ventilation when handling or transferring the product.

Avoid reaction with oxidising agents and avoid strong acids, bases.

For further information consult the Safety Data Sheet and read the product label carefully before use.

Safety Data Sheets are available from [www.concretecoloursystems.com.au](http://www.concretecoloursystems.com.au) or by calling 1800 077 744.

## User Responsibility-Product Selection and Compatibility

CCS warrant that their manufactured product is free from defects as well as being suitable for the purpose for which it is intended as long as it has been used and applied in accordance with the most current Technical Data Sheet from CCS.

In practice, differences in materials, substrates and actual site conditions require an assessment of product suitability for the intended purpose.

The user is responsible for checking the suitability of products for their intended purpose.

Further, combinations of products that form a total system are often required to service particular applications. Due to the multitude of products available to service an application, only products from the CCS system of products must be used in combination with this product to ensure it will be suitable for the purpose for which it is intended.

The product must also not be mixed or used in combination with any other product which is not a product supplied by CCS.

### PLEASE NOTE

The information given in this data sheet is based on our current knowledge of the product when properly stored, handled and applied. We cannot guarantee that the product will be suitable, effective or safe when used for any purpose other than its stated uses.

To the extent that it is lawful, we exclude warranties implied by law and limit our liability to the cost of replacing the product. We accept no responsibility for loss or injury caused by improper use, inadequate preparation, inexpert or negligent application, or ordinary wear and tear.

Service or advice given by our staff should not amount to responsibility for the project - since the owner, or their contractor (and not River Sands), is responsible for procedures relating to the application of the product.



CONCRETE®  
COLOUR  
SYSTEMS

A Division of River Sands Pty Ltd

BRISBANE (HEAD OFFICE)

Cnr Riverland & Monte Khoury Dr, Loganholme Qld 4129

Ph 1800 077 744 | (07) 3412 8111

[helpline@concretecoloursystems.com.au](mailto:helpline@concretecoloursystems.com.au)

[www.concretecoloursystems.com.au](http://www.concretecoloursystems.com.au)