

# CCS CITRIC CLEANER

March 2022

## DESCRIPTION

CCS Citric Cleaner is a low VOC (Green Star IEQ-13 compliant), water based heavy duty cleaner designed to clean concrete, masonry, and tile surfaces.

The product has been formulated specifically to remove grease, oil, hydrocarbons and mild efflorescence.

CCS Citric Cleaner is also suitable as a heavy duty maintenance cleaner, or as a preparation cleaner prior to applying decorative floor finishes such as the CCS Galaxy Floor Finish, CCS Epoxy coatings and CCS Penetrating sealers.

## FEATURES AND BENEFITS

- Pleasant citrus odour
- Low VOC & biodegradable
- Effective in removing laitance, efflorescence and rust
- Does not contain Hydrochloric Acid

## RECOMMENDED USES

- Ideal for cleaning grease and oil from garage floors, driveways, alfresco areas, automotive workshops, warehouse floors, granite and ceramic tiles.

Note: DO NOT USE on natural stone surfaces such as marble, limestone, travertine, and conglomerate marble surfaces.

## PACKAGING

CCS Citric Cleaner is available in a 10 litre plastic container.

## DILUTION RATES

APPLICATION	WATER	CITRIC CLEANER
General Purpose	8 parts	1 part
Oil / Grease	Undiluted	
Efflorescence	5 parts	1 part

## APPLICATION METHOD

It is best to apply the product out of direct sunlight if possible to allow sufficient contact time to surface.

1. Apply with a mop and bucket, watering can or garden sprayer.
2. Allow the product to sit on the surface for 10 minutes and then agitate using an automatic scrubbing machine, broom or stiff brush.
3. Rinse the surface with clean water and extract any residue from the surface with a wet/dry vacuum or dry mop.

If a high pressure water blaster is used, ensure that all remaining cleaner residue is removed.

## CLEAN UP

Clean all tools and equipment with water.

## STORAGE

Store in a closed container, in a cool, dry environment. Shelf life is up to 12 months if stored correctly.

## USER RESPONSIBILITY-PRODUCT SELECTION AND COMPATIBILITY

CCS warrant that their manufactured product is free from defects as well as being suitable for the purpose for which it is intended as long as it has been used and applied in accordance with the most current Technical Data Sheet from CCS.

In practice, differences in materials, substrates and actual site conditions require an assessment of product suitability for the intended purpose.

The user is responsible for checking the suitability of products for their intended purpose.

Further, combinations of products that form a total system are often required to service particular applications. Due to the multitude of products available to service an application, only products from the CCS system of products must be used in combination with this product to ensure it will be suitable for the purpose for which it is intended.

The product must also not be mixed or used in combination with any other product which is not a product supplied by CCS.

**For further information consult the Safety Data Sheet and read the product label carefully before use.**

**Safety Data Sheets are available from [www.concretecoloursystems.com.au](http://www.concretecoloursystems.com.au) or by calling 1800 077 744.**

**Please note:** The information given in this data sheet is based on our current knowledge of the product when properly stored, handled and applied. We cannot guarantee that the product will be suitable, effective or safe when used for any purpose other than its stated uses. To the extent that it is lawful, we exclude warranties implied by law and limit our liability to the cost of replacing the product. We accept no responsibility for loss or injury caused by improper use, incompetent preparation, inexperienced or negligent application, or ordinary wear and tear. Service or advice given by our staff should not amount to responsibility for the project - since the owner or their contractor (and no River Sands), is responsible for the procedures relating to the application of the product.